



Rely on it.

American RENOLIT Corporation
Laminates for Commercial Fenestration and Building Components

North American
Commercial
Product
Portfolio



RENOLIT invented the original exterior-grade laminate for fenestration and remains the global industry leader today. **RENOLIT** now offers a portfolio of decorative laminates tailored to specific window, door and other building component applications. Our product portfolio includes an array of solid color, metallic and woodgrain decors to suit all manner of building styles.

RENOLIT films have been tested by an independent FGIA (AAMA) accredited lab and are certified to pass the AAMA 307 film standard.



RENOLIT EXOFOL FX: THE ULTIMATE CHOICE FOR ALL EXTERIOR CONSTRUCTION COMPONENTS

RENOLIT EXOFOL FX is created for the toughest environments around the globe. We confidently offer up to a 20-year warranty for North America. It is a superior performing decorative solution for fenestration when compared to alternative color methods.

Let us show you how EXOFOL FX surpasses the AAMA 2605 finishes standard.




RENOLIT EXOFOL PX: EXTERIOR SIDE SOLUTIONS FOR COLOR ON NON-FENESTRATION COMPONENTS

RENOLIT EXOFOL PX is ideal when the right blend of value and performance are required. Our appealing designs create a unique accent for outdoor ceilings, cladding and soffits. With **RENOLIT EXOFOL PX** we offer a variety of colors, inviting textures and prints with up to a 10-year North American warranty on non-fenestration applications.


RENOLIT EXOFOL FX – SPECIFY FOR VIRTUALLY ALL EXTERIOR APPLICATIONS

- Up to a 20-Year Warranty
- Three-layer construction:
 - Unique PVDF top layer is easy to clean and is highly resistant to salt air, humidity cycles and pollutants
 - Middle layer of clear PMMA protects pigments from UV radiation
 - Acrylic base layer utilizes Solar Shield Technology, a heat-reflecting inorganic pigment strategy
- Black and popular dark colors previously impossible are now an excellent option
- Graffiti, construction foam and mortar are easily removed




RENOLIT EXOFOL PX – SPECIFY FOR SOFFITS, OUTDOOR CEILINGS, CLADDING

- Up to a 10-year warranty for non-fenestration
- Cost effective solution for exterior applications
- Heavily textured films, matte finishes, intense colors
- Stunning woodgrain realism



RENOLIT MLA – SPECIFY FOR WOOD AND OTHER SUBSTRATES

- Available in a wide range of white
- Rich look from a variety of surface embossings
- Masks finger-jointed components for a uniform finish
- Dramatically reduce installation labor compared to primed parts
- MLA can be painted or stained to match other components



RENOLIT MLA: LAMINATION FOR WOOD AND OTHER SUBSTRATES

Wood components have been an important part of fenestration for many years. Even where wood is not the primary door or window material, associated components such as door frames or jamb extensions are often made from wood.

RENOLIT MLA is an ideal laminate for a variety of components. It is a white rigid PVC laminate that requires no finishing at installation. In a tight labor market for construction, this alone is justification, but the upgrade in finish from primed or painted components will always be a great driver for using **RENOLIT MLA**.



**TROUBLE FREE
PROCESSING, FABRICATION
AND INSTALLATION**

At **RENOLIT** we manufacture laminates designed to bring an array of colors, metallics and woodgrains to construction components. These products are designed for lamination to a full range of substrates such as PVC, aluminum, wood, WPC and fiberglass. We will be happy to assist you in your application development, including testing and trials. We can provide resources for laminators or potential co-suppliers including processing equipment, adhesives, sealants and more.

RENOLIT Film Service has you covered with solutions for on-site repair if there is damage to your product after installation. There is no need to replace the whole unit.



Solar Shield Technology (SST) is featured in all of our exterior-grade laminates to significantly reduce thermal heating and help ensure that profiles retain their dimensional stability even when exposed to strong sunlight.

Our **RENOLIT** exterior laminates are tested independently and in-house according to AAMA 307 as well as Europe's RAL specifications. Extensive accelerated weathering and true on-the-fence testing in Arizona and Florida confirm the suitability of **RENOLIT** films for all of North American's demanding climate zones.

RENOLIT takes its commitments to the environment, community and all stake holders seriously. Request a pdf of our Annual Sustainability Report for details about Economic, Ecological and Social Responsibilities.

Our ISO 9001 certification assures that all **RENOLIT** exterior films are produced under a rigorous quality assurance system.

American **RENOLIT** Corporation
301 Berkeley Drive, Swedesboro, NJ 08085, USA
Phone: (856) 467.4880
Fax: (856) 467.3800
exteriorsolutions.america@renolit.com
www.renolit.com/exteriorsolutions/us



Rely on it.