
RENOLIT Ondex

SYNOPTIC DATA SHEET GB17 104 - 2019/07



Profile ALUFORM 150/45 FOR ROOFING and CLADDING




	70								
Specifications									
Ranges	RENOLIT ONDEX HR	RENOLIT ONDEX SOLLUX							
Nominal thickness (mm)	1.1	1.0							
Material	High resistance bi-stretched PVC	High resistance bi-stretched PVC							
Fire classification (EN 13501-1)	B s1 d0	B s1 d0							
Colours	Crystal - Translucent - White opaque - Grey opaqu	Crystal - Translucent - White opaque - Grey opaque (according to the range)							
Suitable temperature range	-40°C to + 65°C	-40°C to + 65°C							
Maximum roof length	12 m	12 m							
Bend radius	18 m	18 m							
Minimum slope	≥ 10 % or according to specific recommendations	≥ 10 % or according to specific recommendations							
Maximum gap between purlins	1.5 m (see snow downloads and wind uploads tab	1.5 m (see snow downloads and wind uploads table)							
Overlaps between sheets	200 mm (see drawing)	200 mm (see drawing)							
Waterproofness seal	If necessary with a clear colour flexible butyl seal	If necessary with a clear colour flexible butyl seal							
Cutting and drilling of sheets									
Cutting tool	Standard (fine tooth saw)	Standard (fine tooth saw)							
Compulsory pre-drilling	Ø 10 mm / conical or centre drill used at medium speed (for a clean drilling)								

Fastening Installation in SIDE II - Cladding Installation in SIDE I - Roofing Screw - Length: 50 mm for timber support Self drilling or self tapping screw diam. 6 to 7 25 mm for metal - Length: 100 mm for timber support ■ Metal washer with seal Ø 19 mm 70 mm for metal - according to environment (corrosive atmosphere) ■ Metal washer with neoprene seal or saddle + washer. ■ Space higth 45 mm Seaming with an expansive plasteseam in neoprene rubber is recommended for a space between centre lines in purlin > 80 cm.

It should be positioned in the middle of the longitudinal overlapping.

Installation in SIDE II - Cladding





Installation in SIDE I - Roofing

Fastening of the intermediate purlins



Fastening of the end purlins







Recommended gap between purlins (m) - In accordance with the French regulations NV65

Snow	Downward loads snow pressure (daN/m²) 1/100 ^è									1/100 ^è	
Danga		40		60		80		100		120	
Range	Supports nb	2	3	2	3	2	3	2	3	2	3
HR		1.5	1.5	1.35	1.41	1.05	1.25	0.98	1.15	0.93	1.05
SOLLUX		1.5	1.5	1.27	1.27	0.96	1.15	0.77	1.07	0.70	0.92

Wind	Upward loads winds depression (daN/m²) 1/50 ^è									1/50 ^è	
Dongo		40		60		80		100		120	
Range	Supports nb	2	3	2	3	2	3	2	3	2	3
HR		1.5	1.5	1.45	1.5	1.43	1.47	1.15	1.35	1.0	1.25
SOLLUX		1.5	1.5	1.45	1.5	1.34	1.37	1.05	1.25	0.9	1.05

CAUTION

- → FOR COUNTRIES OTHER THAN FRANCE: check the admissible loads according to the calculated spans and applicable regulatory standards in the country in which the building will be constructed.
- → This synoptic data sheet is not intended to replace a more technical documentation or technical certification with installing instructions. For further information, please contact our technical support on +33 3 80 46 80 52 or our sales manager.



PVC 100 % recyclable product



Protect the sheets from sunlight, wind and rain with an opaque white polyethylene tarpaulin during storage and throughout the installation



Do not use with insulating materials



For crystal and translucent, supports and overlapping with other dark sheets must be painted in white.
This prevents overheating.



Do not step directly on the sheets