#### **DECLARATION OF PERFORMANCE N°**

- 1. Unique identification code of the product-type
- 2. Intended use
- 3. Manufacturer
- 4. Authorised representative
- 5. System of AVCP

6a. Harmonised standard

**Notified Body** 

6b. European Assessment Document

**Notified Body** 

7. Declared performances

External fire performance (EN 13501-5, CEN/TS 1187)

Reaction to fire (EN 13501-1, EN ISO 11925-2)

Watertightness (EN 1928/B)

Tensile strength (EN 12311-2/A)

Elongation (EN 12311-2/A)

Resistance to root penetration (EN 13948)

Resistance to static load (EN 12730/B and C)

Resistance to impact (EN 12691/A)

Resistance to impact (EN 12691/B)

Tear resistance (EN 12310-2)

Joint peel resistance (EN 12316-2)

Joint shear resistance (EN 12317-2)

Artificial ageing (EN 1297)

Foldability at low temperature (EN 495-5)

## Dangerous substances

\* This product is an article as identified in article 3 of Regulation (EU) N° 1907/201 the article under normal or reasonably foreseeable conditions of use. A safety dail product to the market, to transport or to use it. For safe use follow the instruction product does not contain SVHC (Substances of very high concern) as listed in Ann European Chemicals Agency in concentrations above 0,1 % (w/w).

#### 8. Appropriate Technical Documentation

The performance of the product identified above is in conformity with the set of  $\alpha$  with Regulation (EU) N° 574/2014, under the sole responsibility of the manufactu

Signed for and on behalf of the manufacturer by: Sant Celoni



Rely on it.

### F35196151021

# **RENOLIT ALKORTEC F 35196**

Plastic sheets for roof waterproofing Exposed sheets - Mechanically fastened

Renolit Iberica SA Carretera del Montnegre s/n 08470 Sant Celoni - Spain

\_

System 2+

EN 13956 : 2012 BCCA N° 0749

-

### Froof

Ε

Pass

MLV >= 1000 N/50 mm

MLV >= 15 %

**Pass** 

MLV >= 20 kg

MLV >= 300 mm

MLV >= 2000 mm

MLV >= 180 N

MLV >= BOJ or 150 N/50 mm

MLV >= BOJ or 1000 N/50 mm

Grade 0

MLV <= - 20 °C

Conform \*

06 (REACH). It contains no substances which are intended to be released from ta sheet following article 31 of the same regulation is not needed to bring the ns given in this product data sheet. Based on our current knowledge, this ex XIV of the REACH regulation or on the candidate list published by the

### Manufacturer instuctions

declared performances. This declarartion of performance is issued, in accordance irer identified above.

Dirk Van der Sype 20/04/2023